



**Genital itching or redness of the foreskin and/or glans, or vaginal burning, a thick, curd-like discharge from the genital area in women.** If you suffer from these symptoms, you may have a **yeast infection**.

**Small wart-like rashes on the genital mucosa or itching can mean a viral disease called **condylomata**.** A specific type of the viruses (papilloma viruses) might lead to cervical cancer in women. Men could be transmitters.



**Blisters in the genital area, rectum, or mouth, which soon turn into painful ulcerations, are called **sores** (or genital herpes).** They often return when the affected person is weakened. Once you get a herpes sore for the first time, the virus causing it stays in your body for a lifetime, even after the sores have healed. You can get infected by another person who has a herpes sore.



If you develop a **fever, headache, muscle pain, joint pain, nasopharyngitis, swollen lymph nodes, or a rash on your torso or back** 2 to 4 weeks after risky sexual intercourse, it could be an **acute HIV infection**, leading to immune failure in the future known as AIDS. HIV infection can be asymptomatic and can only be verified by laboratory testing, known as the HIV test

If you notice **yellowish skin, a yellowish sclera (the white part of the eye), dark urine, and pale stools** along with **flu-like symptoms** within 2 weeks to 6 months, you may have either type A, B or C of **infectious jaundice**. The yellowing may be subtle.

